


# FSD-808P

# 8-Port 10/100Mbps PoE Fast Ethernet Switch



#### Centralized Power Distribution for Ethernet Networking

To fulfill the demand of sufficient PoE power for Fast Ethernet network applications, PLANET has launched a new member in the 802.3af PoE Switch family - FSD-808P, the 8-Port 10/100Mbps 802.3af PoE Switch. The FSD-808P supports 125-watt PoE budget and 8-port 802.3af PoE power injector function to drive 8 IEEE 802.3af compliant powered devices. The FSD-808P also provides a simple, cost-effective, and non-blocking wire-speed performance with 12-inch metal shape for desktop deployment in compact housing, SOHO office or department network applications.



#### **RJ-45 Interface**

- 8-Port 10/100Mbps Fast Ethernet ports
- 8-Port supports 48V DC power to PoE Powered Device

#### Power over Ethernet

- Complies with IEEE 802.3af Power over Ethernet Mid-Span PSE
- · Up to 8 IEEE 802.3af devices powered
- · Supports PoE Power up to 15.4 watts for each PoE port
- Auto detects powered device (PD)
- Circuit protection prevents power interference between ports
- Remote power feeding up to 100m

#### Switching

- Hardware based 10/100Mbps Auto-Negotiation and Auto MDI/MDI-X
- Flow control for Full Duplex operation and back pressure for Half Duplex operation
- Integrates address look-up engine, supporting 2K absolute MAC addresses
- · Automatic address learning and address aging

#### Hardware

- · 12-inch desktop size, 1U height
- · LED indicators for PoE ready and PoE activity
- 1 silent fan to provide stable and efficient power performance

#### Easy Network Infrastructure by PoE Function


Providing 8 IEEE 802.3af PoE interfaces, the FSD-808P is ideal for small businesses and workgroups to deploy the PoE network for the wireless access points, IP-based surveillance cameras or IP phones in any places easily and efficiently. The PoE in-line power following the IEEE 802.3af standard makes the FSD-808P able to power on 8 PoE compliant devices at the distance up to 100 meters through the 4-pair Cat 5/5e UTP wire. With data and power over Ethernet the FSD-808P can reduce the need for extension cords and electrical outlets on the wall, ceiling or any unreachable place. In all, it lowers the installation costs and simplifies the deployment effort.



## Application

#### Department / Workgroup PoE Switch

Providing 8 PoE in-line power interfaces, the FSD-808P can easily build a power centrally-controlled IP phone system, IP Camera system and wireless AP group for the enterprise. For instance, up to 8 PoE IP cameras can be installed around the corner in the company for surveillance demands or up to 8 PoE Wireless APs can build a wireless roaming environment in the office. Without the power-socket limitation, the Switch makes the installation of cameras or Wireless AP easier and more efficiently.





# Specifications

Product	FSD-808P 8-Port 10/100Mbps PoE Fast Ethernet Switch
Hardware Specifications	
Network Connector	8-Port RJ-45 for 10/100Base-TX
PoE Inject Port	8-Port with 802.3af PoE injector function
LED Display	System: Power (Green) Per port : PoE (Green) LNK/ACT (Green)
Switch Architecture	Store and Forward switch architecture
MAC Address	2K MAC address table with auto learning function
Switch Fabric	1.6Gbps
Switch Throughput	1.19Mpps@64Bytes
Power Requirements	AC 100~240V, 50/60Hz, 1.5A max.
Power Consumption	Max.135 watts / 460 BTU
Dimensions (W x D x H)	280 x 180 x 43 mm
Weight	1.65kg
Power over Ethernet	
PoE Standard	IEEE 802.3af Power over Ethernet / PSE
PoE Power Supply Type	Mid-Span
PoE Power Output	Per Port 48V DC, 350mA . Max. 15.4 Watts
Power Pin Assignment	4/5(-), 7/8(+)
PoE Power Budget	125 watts
Standard Conformance	
EMI Safety	FCC Class A, CE
Standard Compliance	IEEE 802.3EthernetIEEE 802.3uFast EthernetIEEE 802.3xFlow ControlIEEE 802.3afPower over Ethernet
Environment	
Operating Temperature	0 ~ 50 degrees C
Storage Temperature	-40 ~ 70 degrees C
Operating Humidity	5 ~ 95%, relative humidity, non-condensing
Storage Humidity	5 ~ 95%, relative humidity, non-condensing

### **Ordering Information**

8-Port 10/100Mbps PoE Fast Ethernet Switch

### **Related Products**

FSD-504HP	4-Port 10/100Mbps 802.3af/at PoE + 1-Port 10/100Mbps Desktop Switch (60 Watts)
FSD-804P	8-Port 10/100Mbps with 4-Port PoE Ethernet Switch
FSD-808HP	8-Port 10/100Mbps 802.3at PoE Desktop Switch
FSD-910P	8-Port 10/100Mbps 802.3af PoE + 1-Port 10/100/1000Mbps Desktop Switch
FNSW-1600P	16-Port 10/100Mbps PoE Fast Ethernet Switch

#### PLANET Technology Corporation

 11F., No.96, Minquan Rd., Xindian Dist., New Taipei City

 231, Taiwan (R.O.C.)

 Tel: 886-2-2219-9518

 Fax: 886-2-2219-9518

 Fmail: sales@planet.com.tw

 www.planet.com.tw



PLANET reserves the right to change specifications without prior notice. All brand names and trademarks are property of their respective owners. Copyright © 2014 PLANET Technology Corp. All rights reserved.